


Ponto™ System Product Catalogue



Choose Sound.
Choose Ponto



oticon
MEDICAL



Not all products are available in all markets.
Product availability is subject to regulatory
approval in the respective markets.
For USA only: Federal law restricts this device to
sale by or on the order of a medical practitioner.

Contents

Surgical Components	4
Ponto BHX implants (Ø 4.5 mm)	4
Wide implants (Ø 4.5 mm)	5
Ponto abutments & cover screw.....	6
Surgical Instruments & Equipment.....	7
Disposable instruments	7
Equipment.....	8
Non-disposable instruments	8
Ponto implants countersink guide 4 mm	10
Minimally invasive Ponto procedure 4 mm	10
Ponto implants countersink guide 3 mm	11
Minimally invasive Ponto procedure 3 mm	11
Sound Processors	12
Ponto 5 SuperPower.....	12
Ponto 5 Mini	13
Ponto 4.....	14
Ponto 3 SuperPower.....	15
Ponto 3 Power.....	16
Ponto 3.....	17
Accessories.....	18
Connectivity for Ponto 4 and Ponto 5 family	18
Connectivity for the Ponto 3 family.....	19
Care & maintenance.....	20
Miscellaneous	21
Stickers and skins for Ponto 4 and Ponto 5 family.....	22
Stickers and skins for the Ponto 3 family.....	22
Softbands & Ponto SoundConnector™	24
Display	28
Test	29
Fitting & Verification.....	30
Software	30
Skull simulator	30

Surgical Components

All Ponto implants are of the wide 4.5 mm diameter design, with the same universal implant-abutment interface and are therefore fully compatible with existing instruments and abutments.

All surgical components are delivered sterile. All abutments have interface enabling implant stability measurements using resonance frequency analysis.

Ponto BHX implants (Ø 4.5 mm)



M52166

Ponto BHX implant, 3 mm,
with abutment, 6 mm

The Ponto BHX implant, 3 mm, with a 6 mm pre-mounted abutment is used in the single-stage surgical procedure and consists of implant, abutment and connection screw.



M52167

Ponto BHX implant, 3 mm,
with abutment, 9 mm

The Ponto BHX implant, 3 mm, with a 9 mm pre-mounted abutment is used in the single-stage surgical procedure and consists of implant, abutment and connection screw.



M52168

Ponto BHX implant, 4 mm,
with abutment, 6 mm

The Ponto BHX implant, 4 mm, with a 6 mm pre-mounted abutment is used in the single-stage surgical procedure and consists of implant, abutment and connection screw.



M52169

Ponto BHX implant, 4 mm,
with abutment, 9 mm

The Ponto BHX implant, 4 mm, with a 9 mm pre-mounted abutment is used in the single-stage surgical procedure and consists of implant, abutment and connection screw.



M52170

Ponto BHX implant, 4 mm,
with abutment, 12 mm

The Ponto BHX implant, 4 mm, with a 12 mm pre-mounted abutment is used in the single-stage surgical procedure and consists of implant, abutment and connection screw.



M52171

Ponto BHX implant, 4 mm,
with abutment, 14 mm

The Ponto BHX implant, 4 mm, with a 14 mm pre-mounted abutment is used in the single-stage surgical procedure and consists of implant, abutment and connection screw.



M52172

Ponto BHX implant, 3 mm

The Ponto BHX implant, 3 mm, with a pre-mounted implant adapter is used in the two-stage surgical procedure in case of insufficient bone depth for the 4 mm implant. The implant adapter is a disposable item that is removed after implant insertion.



M52173

Ponto BHX implant, 4 mm

The Ponto BHX implant, 4 mm, with a pre-mounted implant adapter is used in the two-stage surgical procedure. The implant adapter is a disposable item that is removed after implant insertion.

Wide implants (Ø 4.5 mm)



M51140
Wide implant, 3 mm,
with abutment, 6 mm

The Wide implant, 3 mm, with a 6 mm pre-mounted abutment is used in the single-stage surgical procedure and consists of implant, abutment and connection screw.



M51141
Wide implant, 3 mm,
with abutment, 9 mm

The Wide implant, 3 mm, with a 9 mm pre-mounted abutment is used in the single-stage surgical procedure and consists of implant, abutment and connection screw.



M51136
Wide implant, 4 mm,
with abutment, 6 mm

The Wide implant, 4 mm, with a 6 mm pre-mounted abutment is used in the single-stage surgical procedure and consists of implant, abutment and connection screw.



M51137
Wide implant, 4 mm,
with abutment, 9 mm

The Wide implant, 4 mm, with a 9 mm pre-mounted abutment is used in the single-stage surgical procedure and consists of implant, abutment and connection screw.



M51138
Wide implant, 4 mm,
with abutment, 12 mm

The Wide implant, 4 mm, with a 12 mm pre-mounted abutment is used in the single-stage surgical procedure and consists of implant, abutment and connection screw.



M52065
Wide implant, 4 mm,
with abutment, 14 mm

The Wide implant, 4 mm, with a 14 mm pre-mounted abutment is used in the single-stage surgical procedure and consists of implant, abutment and connection screw.



M51142
Wide implant, 3 mm

The Wide implant, 3 mm, with a pre-mounted implant adapter is used in the two-stage surgical procedure in case of insufficient bone depth for the 4 mm implant. The implant adapter is a disposable item that is removed after implant insertion.



M51139
Wide implant, 4 mm

The Wide implant, 4 mm, with a pre-mounted implant adapter is used in the two-stage surgical procedure. The implant adapter is a disposable item that is removed after implant insertion.

Ponto abutments & cover screw



M50349
Abutment, 6 mm

The abutment, 6 mm, is delivered with a connection screw.



M50318
Abutment, 9 mm

The abutment, 9 mm, is delivered with a connection screw.



M51149
Abutment, 12 mm

The abutment, 12 mm, is delivered with a connection screw.



M52063
Abutment, 14 mm

The abutment, 14 mm, is delivered with a connection screw.











M50098
Cover screw hexagon

The cover screw hexagon is used in the two-stage surgical procedure or when a sleeper implant is placed. It is designed to cover the whole upper side of the implant flange and thereby safely protect the implant.

Surgical Instruments & Equipment

The disposable instruments are delivered sterile. All the drill shafts are between 26 and 30 mm long to facilitate correct orientation of the drill during the drilling procedure.

Disposable instruments

	M50287 Guide drill, 3–4 mm	The guide drill has a removable spacer to allow drilling for placement of either 3 or 4 mm implants. The guide drill is used in combination with the wide countersinks.
	M51144 Wide countersink, 3 mm	The wide countersink, 3 mm, is used after the initial guide drilling. It is designed to prevent countersinking of more than 0.3 mm and it creates a virtually invisible recess. The drill is marked with a W to indicate use with the Ponto implants with the wide 4.5 mm diameter design.
	M51122 Wide countersink, 4 mm	The wide countersink, 4 mm, is used after the initial guide drilling. It is designed to prevent countersinking of more than 0.3 mm and it creates a virtually invisible recess. The drill is marked with a W to indicate use with the Ponto implants with the wide 4.5 mm diameter design.
	M52080 Soft healing cap	The soft healing cap has a diameter of 26 mm, and holds the dressing in place while acting as protective mechanical barrier.
	M50821 Healing cap	The healing cap has a diameter of 26 mm, and holds the dressing in place while acting as protective mechanical barrier.
	220701 MONO Surgery kit	The MONO Surgery kit is used in the MONO procedure for single-stage installation of 4 mm Ponto implants with the wide 4.5 mm diameter design. The kit consists of cannula, MONO drill, insertion indicator and soft healing cap.
	192232 MIPS Surgery kit, 4 mm	The MIPS Surgery kit, 4 mm, is used in the MIPS single-stage procedure for installation of 4 mm Ponto implants with the wide 4.5 mm diameter design. The kit consists of cannula, cannula guide drill, cannula widening drill, 4 mm, insertion indicator and soft healing cap.
	192233 MIPS Back-up kit, 3 mm	The MIPS Back-up kit, 3 mm, is used in the MIPS single-stage procedure for installation of 3 mm Ponto implants with the wide 4.5 mm diameter design, as back-up in case of insufficient bone depth for the 4 mm implant. The kit consists of cannula and cannula widening drill, 3 mm.

Equipment

Drilling equipment

It is important that the correct type of drilling equipment is used during the surgical procedure. The unit should be able to carry out the drilling with a drill bit speed of 1500–2000 rpm as well as the implant installation on a low speed setting, 15 rpm, and a torque setting between 10-50 Ncm depending on the bone quality. See Surgical Manual for correct settings and procedure.

We recommend the Implantmed drive unit supplied by W&H (www.wh.com) with the contra-angle handpiece 20:1. Please contact your local sales representative for more information.



Non-disposable instruments



M52074
Sterilization cassette

The sterilization cassette holds instruments in place during sterilization.



M52114
Silicone parts,
sterilization cassette

Silicone spare parts kit for M52074.



M51690
Counter torque
wrench

The counter torque wrench is used for counteracting the force when tightening or unscrewing the connection screw using the screwdriver. The counter torque wrench is also used for manual tightening in the single-stage procedure if needed.










M50230
Torque wrench

The torque wrench, scale 10–35 Ncm, is used to secure the correct torque when tightening the connection screw. It is used together with the handle with screwdriver.



M52143
Ruler

The ruler is used to assist in the selection of abutment length by providing a comparative guide between tissue thickness and Ponto abutment length.

	M52196 Double-ended dissector	The double-ended dissector is used for dissection and removal of the periosteum. The blunt side is also used for inspection of bone.
	M50437 Handle with screwdriver	The handle with screwdriver has replaceable bits and can be used together with the torque wrench. It is delivered with one screwdriver machine bit.
	M50384 Screwdriver, machine, 35 mm	The screwdriver machine bit can be used with both the handle with screwdriver and the drill equipment handpiece. The bit fits all the abutment connection screws and the implant adapter screws. The shaft is fitted according to ISO 1797-1.
	M51695 Abutment inserter, machine	The abutment inserter is used during the single-stage surgical procedure for inserting the implant with the pre-mounted abutment, using the drill equipment. The shaft has a hexagonal collar with a shaft fitted according to ISO 1797-1.
	M50386 Square fit connection, machine	The square fit connection is used for inserting the 3 and 4 mm implant with the pre-mounted implant adapter, using the drill equipment. The shaft is fitted according to ISO 1797-1.
	M50428 Sound processor indicator	The sound processor indicator is used on intact skin to illustrate the size of a sound processor in order to assess and enable marking of the appropriate implant site prior to incision.
	M50534 Screwdriver hexagon	The screwdriver hexagon is used for connecting and disconnecting the cover screw.

Ponto implants countersink guide 4 mm

Ponto implant, 4 mm (Ø 4.5) Countersink

M51139

Wide implant, 4 mm

M52173

Ponto BHX implant, 4 mm

M51136

Wide implant, 4 mm,
with abutment, 6 mm

M51137

Wide implant, 4 mm,
with abutment, 9 mm

M51138

Wide implant, 4 mm,
with abutment, 12 mm

M52065

Wide implant, 4 mm,
with abutment, 14 mm

M52168

Ponto BHX implant, 4 mm,
with abutment, 6 mm

M52169

Ponto BHX implant, 4 mm,
with abutment, 9 mm

M52170

Ponto BHX implant, 4 mm,
with abutment, 12 mm

M52171

Ponto BHX implant, 4 mm,
with abutment, 14 mm

M51122

Wide countersink,
4 mm

Minimally invasive Ponto procedure 4 mm

Ponto implant, 4 mm (Ø 4.5) Drill guide

M51136

Wide implant, 4 mm,
with abutment, 6 mm

M51137

Wide implant, 4 mm,
with abutment, 9 mm

M51138

Wide implant, 4 mm,
with abutment, 12 mm

M52065

Wide implant, 4 mm,
with abutment, 14 mm

M52168

Ponto BHX implant, 4 mm,
with abutment, 6 mm

M52169

Ponto BHX implant, 4 mm,
with abutment, 9 mm

M52170

Ponto BHX implant, 4 mm,
with abutment, 12 mm

M52171

Ponto BHX implant, 4 mm,
with abutment, 14 mm

220701

MONO Surgery kit
containing cannula, MONO
drill, insertion indicator
and soft healing cap

192232

MIPS Surgery kit, 4 mm,
containing cannula,
cannula guide drill,
cannula widening drill,
4 mm, insertion indicator
and soft healing cap

Ponto implants countersink guide 3 mm

Ponto implant, 3 mm (Ø 4.5) Countersink

M51142 Wide implant, 3 mm	M51144 Wide countersink, 3 mm
M52172 Ponto BHX implant, 3 mm	
M51140 Wide implant, 3 mm, with abutment, 6 mm	
M51141 Wide implant, 3 mm, with abutment, 9 mm	
M52166 Ponto BHX implant, 3 mm, with abutment, 6 mm	
M52167 Ponto BHX implant, 3 mm, with abutment, 9 mm	

Minimally invasive Ponto procedure 3 mm

Ponto implant, 3 mm (Ø 4.5) Drill guide

M51140 Wide implant, 3 mm, with abutment, 6 mm	192233* MIPS Back-up kit, 3 mm, containing cannula and cannula widening drill, 3 mm 192232* MIPS Surgery kit, 4 mm, containing cannula, cannula guide drill, cannula widening drill, 4 mm, insertion indicator and soft healing cap *Both 192233 and 192232 are needed to perform MIPS surgery with a 3 mm implant
M51141 Wide implant, 3 mm, with abutment, 9 mm	
M52166 Ponto BHX implant, 3 mm, with abutment, 6 mm	
M52167 Ponto BHX implant, 3 mm, with abutment, 9 mm	

Sound Processors

Ponto 5 SuperPower

Colour versions:



223161
Ponto 5 SuperPower, SIL
Silver CO44



223162
Ponto 5 SuperPower, CBE
Chroma Beige CO90



223163
Ponto 5 SuperPower, TC
Terracotta CO94



223164
Ponto 5 SuperPower, CNB
Chestnut Brown CO93



223165
Ponto 5 SuperPower, STG
Steel Grey CO92



223166
Ponto 5 SuperPower, DBL
Diamond Black CO63

Ponto 5 SuperPower demo



227043
Ponto 5 SuperPower demo, DBL
Diamond Black

Ponto 5 Mini

Colour versions:



223155
Ponto 5 Mini, SIL
Silver CO44



223156
Ponto 5 Mini, CBE
Chroma Beige CO90



223157
Ponto 5 Mini, TC
Terracotta CO94



223158
Ponto 5 Mini, CNB
Chestnut Brown CO93



223159
Ponto 5 Mini, STG
Steel Grey CO92



223160
Ponto 5 Mini, DBL
Diamond Black CO63

Ponto 5 Mini demo



227042
Ponto 5 Mini demo, DBL
Diamond Black

Ponto 4

Colour versions:



186779
Ponto 4, SIL
Silver CO44



186777
Ponto 4, CBE
Chroma Beige CO90



186778
Ponto 4, TC
Terracotta CO94



186781
Ponto 4, CNB
Chestnut Brown CO93



186780
Ponto 4, STG
Steel Grey CO92



186782
Ponto 4, DBL
Diamond Black CO63

Ponto 4 demo





201386
Ponto 4 demo
Terracotta

Ponto 3 SuperPower

Left	Right	Colour versions and left / right version:	
		M52658 Ponto 3 SuperPower, left, Pure White	M52659 Ponto 3 SuperPower, right, Pure White
		M52654 Ponto 3 SuperPower, left, White Silver	M52655 Ponto 3 SuperPower, right, White Silver
		M52652 Ponto 3 SuperPower, left, Chroma Beige	M52653 Ponto 3 SuperPower, right, Chroma Beige
		M52650 Ponto 3 SuperPower, left, Mocca Brown	M52651 Ponto 3 SuperPower, right, Mocca Brown
		M52656 Ponto 3 SuperPower, left, Steel Grey	M52657 Ponto 3 SuperPower, right, Steel Grey
		M52648 Ponto 3 SuperPower, left, Diamond Black	M52649 Ponto 3 SuperPower, right, Diamond Black

Ponto 3 SuperPower demos

		M52660 Ponto 3 SuperPower demo, left, Chroma Beige	M52661 Ponto 3 SuperPower demo, right, Chroma Beige
---	---	---	--



Ponto 3 Power

Left	Right	Colour versions and left / right version:	
		M52644 Ponto 3 Power, left Pure White	M52645 Ponto 3 Power, right Pure White
		M52640 Ponto 3 Power, left White Silver	M52641 Ponto 3 Power, right White Silver
		M52638 Ponto 3 Power, left Chroma Beige	M52639 Ponto 3 Power, right Chroma Beige
		M52636 Ponto 3 Power, left Mocca Brown	M52637 Ponto 3 Power, right Mocca Brown
		M52642 Ponto 3 Power, left Steel Grey	M52643 Ponto 3 Power, right Steel Grey
		M52634 Ponto 3 Power, left Diamond Black	M52635 Ponto 3 Power, right Diamond Black

Ponto 3

Left	Right	Colour versions and left / right version:	
		M52630 Ponto 3, left Pure White	M52631 Ponto 3, right Pure White
		M52626 Ponto 3, left White Silver	M52627 Ponto 3, right White Silver
		M52624 Ponto 3, left Chroma Beige	M52625 Ponto 3, right Chroma Beige
		M52622 Ponto 3, left Mocca Brown	M52623 Ponto 3, right Mocca Brown
		M52628 Ponto 3, left Steel Grey	M52629 Ponto 3, right Steel Grey
		M52620 Ponto 3, left Diamond Black	M52621 Ponto 3, right Diamond Black

Ponto 3 demos

		M52632 Ponto 3 demo, left Chroma Beige	M52633 Ponto 3 demo, right Chroma Beige
---	---	---	--

Accessories

The Ponto System offers a wide range of accessories for specific patient requirements as well as for evaluation and testing situations.

Connectivity for Ponto 4 and Ponto 5 family



178509
ConnectClip

ConnectClip combines a Bluetooth headset and a microphone in one. It is a small device compatible with the Ponto 4 and Ponto 5 sound processors. ConnectClip streams sound directly from a wireless device, e.g. a smartphone, to the sound processor in high quality while also functioning as a wireless microphone and remote control.*

ConnectClip is a SBO Hearing A/S product.



169229
Remote Control 3.0

Remote Control 3.0 offers discreet and easy control over the Ponto 4 and Ponto 5 sound processors. Use it to adjust volume, change programmes or mute your devices.*

The Remote Control 3.0 is a SBO Hearing A/S product.



168628
TV Adapter 3.0

TV adapter 3.0 connects the Ponto 4 and Ponto 5 sound processors with the TV for wireless streaming of the TV sound directly to the sound processor.*

The TV Adapter 3.0 is a SBO Hearing A/S product.



191009
EduMic

EduMic is an educational solution which allows teachers to stream voice directly to several hearing device users in a classroom.

EduMic is an Oticon A/S product.



Oticon ON app

Download the free app from the App Store® or on Google Play™.

The Oticon ON app is an Oticon A/S product.



Oticon RemoteCare app

Download the free app from the App Store® or on Google Play™.

The Oticon RemoteCare app is a SBO Hearing A/S product.



Apple, the Apple logo, iPhone, iPad, and iPod touch are trademarks of Apple Inc., registered in the US and other countries. App store is a service mark of Apple Inc. Android, Google Play, and the Google Play logo are trademarks of Google LLC.

**Please contact your local sales representative for more information.*

Connectivity for the Ponto 3 family



124771
ConnectLine
TV Adapter 2.0

The ConnectLine TV adapter can be connected to a TV and can transmit the TV sound to the sound processor via the Oticon Medical Streamer.

*Only through the Oticon Medical Streamer.**

The ConnectLine TV Adapter 2.0 is an Oticon A/S product.



155372
Oticon Medical
Streamer, black

155373
Oticon Medical
Streamer, white

The Oticon Medical Streamer is a gateway to a range of different electronic devices. Different audio sources can be transmitted through the Oticon Medical Streamer to your sound processor. The Oticon Medical Streamer can also be used as a remote control to adjust the volume and change the programme in the sound processor.

The Oticon Medical Streamer is an Oticon A/S product.




108402
ConnectLine
Microphone

The ConnectLine Microphone is a discreet clip-on microphone that can connect wirelessly to the Oticon Medical Streamer, allowing the conversation partner's voice to be heard in the sound processor.

*Only through the Oticon Medical Streamer.**

The ConnectLine Microphone is an Oticon A/S product.



ConnectLine
Phone Adapter 2.0

128812
US version

127837
EU version

The ConnectLine Phone Adapter 2.0 can be connected to a telephone (private/domestic analogue) and can transmit the sound from the telephone to the sound processor via the Oticon Medical Streamer. In this way, the sound processor, in combination with the Oticon Medical Streamer, is turned into a wireless headset.

*Only through the Oticon Medical Streamer for the Ponto 3 family. For Ponto 4 and Ponto 5, ConnectClip connects the sound processor to the ConnectLine Phone Adapter.**

The ConnectLine Phone Adapter is an Oticon A/S product.



FM receiver

140-06-200-00
169-187 MHz

140-06-300-00
216-218 MHz

The Oticon Amigo R2 can be used with the Oticon Medical Streamer. With this multi-channel FM receiver, the user can benefit from the advanced solutions offered by the Amigo receiver and transmitters.

*Only through the Oticon Medical Streamer for the Ponto 3 family. For Ponto 4 and Ponto 5, EduMic connects the sound processor to FM systems.**

The Oticon Amigo R2 is an Oticon A/S product.



Oticon ConnectLine app

Download the free app from the App Store® or on Google Play™.

The Oticon ConnectLine app is an Oticon A/S product.

Care & maintenance



890-01-156-06
Drying tub

The drying tub from Oticon can be used with a drying capsule to dry the sound processor, mainly in countries with high humidity.*

The drying tub is an Oticon A/S product.



784-40-001-06
Drying capsules
(pack of 6 pcs)

The drying capsules from Oticon can be used with the drying tub to dry the sound processor, mainly in countries with high humidity.*

The drying capsules are Oticon A/S products.



M50294
Abutment cover, black
M50290
Abutment cover, beige

The abutment cover is used to cover the abutment when the sound processor is not connected.



M50030
Cleaning brush

The cleaning brush is used to clean the outside and inside of the abutment.




M51177
Ponto Care kit

The Ponto Care kit can be used to facilitate cleaning of the Ponto System and to establish a good daily aftercare routine.



173365
Safety line

The safety line may be attached to the sound processor and the patient's clothing to reduce risk of loss or damage after initial fitting or during physical activity. The safety line features an elastic line and a retention clip, all in a transparent and discreet design.






890-60-232-00
MultiTool

The MultiTool is used for opening and closing the tamper-resistant lock on Ponto 5 SuperPower and on the Ponto 3 family devices. The MultiTool can also be used for removing the battery from the sound processors.


The MultiTool is an Oticon A/S product.

*Please contact your local sales representative for more information.

Miscellaneous

	<p>226490 Plug kit, Ponto 5 SuperPower</p> <p>204265 Plug kit, Ponto 5 Mini and Ponto 4</p>	<p>The plug kit contains plugs for covering the programming socket and for side indication.</p> <p>Each kit contains three blue, three red and three black plugs.</p>
	<p>226557 Battery drawer kit, Ponto 5 SuperPower</p> <p>204269 Battery drawer kit, Nailgrip Ponto 4 and Ponto 5 Mini</p> <p>204268 Battery drawer kit, Tamper-resistant Ponto 4 and Ponto 5 Mini</p>	<p>The kits for Ponto 4 and Ponto 5 Mini come in a nailgrip and in a tamper-resistant version. The battery drawers for Ponto 5 SuperPower only come in one version with a built-in tamper-resistant mechanism.</p> <p>Each kit contains three battery drawers and a tool for removing the drawer.</p>
	<p>165593 TAR tool</p>	<p>A tool for opening the tamper-resistant battery drawer on Ponto 4 and Ponto 5 Mini.</p>

Stickers and skins for Ponto 4 and Ponto 5 family



197957
Stickers

The adhesive stickers can easily be applied to the sound processor to customise its appearance.



234062
Skin, Ponto Mini, turquoise/pink

225096
Skin, Ponto 5 SuperPower, turquoise/pink

The skin can be easily placed on the sound processor to change the appearance. Each set consists of six skins in two colours, three of each colour. The skins for Ponto Mini fit both Ponto 4 and Ponto 5 Mini.



206535
Skin, Ponto Mini, red/yellow

225097
Skin, Ponto 5 SuperPower, red/yellow



234063
Skin, Ponto Mini, light green/navy blue

225098
Skin, Ponto 5 SuperPower, light green/navy blue



234064
Skin, Ponto Mini, light blue/dark purple

225099
Skin, Ponto 5 SuperPower, light blue/dark purple

Stickers and skins for the Ponto 3 family



M52857
Stickers for regular processors, right

M52858
Stickers for regular processors, left

M52859
Stickers for Power and SuperPower processors, right

M52860
Stickers for Power and SuperPower processors, left

The adhesive stickers can be easily applied to the sound processor to customise its appearance.



M52561
Skins for regular processors, right

M52562
Skins for regular processors, left



M52563
Skins for Power and SuperPower processors, right

M52564
Skins for Power and SuperPower processors, left

The skin can be easily placed on the sound processor to change the appearance. Each set consists of five skins in different colours: cerise, turquoise, orange, navy blue and yellow.



M51844
Skins for regular processors, right

M51845
Skins for regular processors, left



M51846
Skins for Power and SuperPower processors, right

M51847
Skins for Power and SuperPower processors, left

The skin can be easily placed on the sound processor to change the appearance. Each set consists of five skins in different colours: pink, green, red, light blue and purple.



Accessories

Softbands & Ponto SoundConnector™

The Softband is intended for users who have not had implant surgery but can benefit from a bone conduction solution. The Softband consists of an adjustable elastic band with one or two Connectors for the sound processor(s). It has a safety release feature, designed to open if it gets caught.

The Softbands are available for unilateral and bilateral use. Softband 5 comes in two sizes - XS/S and M/L. Each Softband pack contains Connector Pads - three Connector Pads for the unilateral band and six Connector Pads for the bilateral bands.





Softband 5, unilateral XS/S



Softband 5, unilateral M/L



-  **227690** Softband 5, unilateral XS/S black
-  **227691** Softband 5, unilateral XS/S dark brown
-  **227692** Softband 5, unilateral XS/S light brown
-  **227693** Softband 5, unilateral XS/S beige
-  **227694** Softband 5, unilateral XS/S light blue
-  **227695** Softband 5, unilateral XS/S pink
-  **227696** Softband 5, unilateral XS/S navy blue
-  **227697** Softband 5, unilateral XS/S red

-  **227686** Softband 5, unilateral M/L black
-  **227687** Softband 5, unilateral M/L dark brown
-  **227688** Softband 5, unilateral M/L light brown
-  **227689** Softband 5, unilateral M/L beige



226779
Connector Pad set (pack of 20 pcs)

Connector Pads are used with Softband 5 for wearing comfort and to optimise fit and transmission.


Softband 5, bilateral
XS/S



Softband 5, bilateral
M/L



-  **227702** Softband 5, bilateral XS/S black
-  **227703** Softband 5, bilateral XS/S dark brown
-  **227704** Softband 5, bilateral XS/S light brown
-  **227705** Softband 5, bilateral XS/S beige
-  **227706** Softband 5, bilateral XS/S light blue
-  **227707** Softband 5, bilateral XS/S pink
-  **227708** Softband 5, bilateral XS/S navy blue
-  **227709** Softband 5, bilateral XS/S red

-  **227698** Softband 5, bilateral M/L black
-  **227699** Softband 5, bilateral M/L dark brown
-  **227700** Softband 5, bilateral M/L light brown
-  **227701** Softband 5, bilateral M/L beige

<p>Ponto Softband</p> 	<p>Ponto Softband, bilateral</p> 
<div> <div></div> <div>173366 Ponto Softband, beige</div> </div> <div> <div></div> <div>173367 Ponto Softband, yellow</div> </div> <div> <div></div> <div>173368 Ponto Softband, red</div> </div> <div> <div></div> <div>173369 Ponto Softband, pink</div> </div> <div> <div></div> <div>173379 Ponto Softband, cerise</div> </div> <div> <div></div> <div>173380 Ponto Softband, purple</div> </div> <div> <div></div> <div>173381 Ponto Softband, navy</div> </div> <div> <div></div> <div>173382 Ponto Softband, indigo</div> </div> <div> <div></div> <div>173383 Ponto Softband, blue</div> </div> <div> <div></div> <div>173384 Ponto Softband, turquoise</div> </div> <div> <div></div> <div>173385 Ponto Softband, green</div> </div> <div> <div></div> <div>173386 Ponto Softband, grey</div> </div> <div> <div></div> <div>173387 Ponto Softband, brown</div> </div> <div> <div></div> <div>173388 Ponto Softband, black</div> </div>	<div> <div></div> <div>185311 Ponto Softband, bilateral, beige</div> </div> <div> <div></div> <div>185312 Ponto Softband, bilateral, yellow</div> </div> <div> <div></div> <div>185313 Ponto Softband, bilateral, red</div> </div> <div> <div></div> <div>185314 Ponto Softband, bilateral, pink</div> </div> <div> <div></div> <div>185315 Ponto Softband, bilateral, cerise</div> </div> <div> <div></div> <div>185316 Ponto Softband, bilateral, purple</div> </div> <div> <div></div> <div>185317 Ponto Softband, bilateral, navy</div> </div> <div> <div></div> <div>185318 Ponto Softband, bilateral, indigo</div> </div> <div> <div></div> <div>185319 Ponto Softband, bilateral, blue</div> </div> <div> <div></div> <div>185320 Ponto Softband, bilateral, turquoise</div> </div> <div> <div></div> <div>185321 Ponto Softband, bilateral, green</div> </div> <div> <div></div> <div>185322 Ponto Softband, bilateral, grey</div> </div> <div> <div></div> <div>185323 Ponto Softband, bilateral, brown</div> </div> <div> <div></div> <div>185324 Ponto Softband, bilateral, black</div> </div>
<div>  <div> <div>173391</div> <div>Ponto SoundConnector</div> </div> </div>	<p>The Ponto SoundConnector allows users to use their Ponto sound processor with alternative headwear.</p>

Soft band



Soft band, bilateral



M50551 Soft band, pink



M50612 Soft band, blue



M50637 Soft band, black



M50638 Soft band, beige



M50639 Soft band, navy blue



M50640 Soft band, red



M50734 Soft band, bilateral, pink



M50735 Soft band, bilateral, blue



M50736 Soft band, bilateral, black



M50737 Soft band, bilateral, beige



M50738 Soft band, bilateral, navy blue



M50739 Soft band, bilateral, red

Accessories

Display



231636
Ponto Trial Layer
Demonstration case

A demonstration case layer featuring the Ponto offer and accessories. Look-a-like products are included for ConnectClip and sound processors, but demo sound processors, test band/head band and Softband need to be ordered separately. The layer comes with a grey smart cover protecting the case.



207702
Ponto 4 layer
Demonstration case

A demonstration case layer featuring the Ponto 4 offer. A ConnectClip look-a-like is included, but demo sound processors and implant/abutment need to be ordered separately.



188564
Ponto Demo stand
with abutment

An ear model with a Ponto abutment to which you can connect the sound processor. The model is made in transparent polymer and branded Oticon Medical. Sound processor needs to be ordered separately.



M50462
Test stand

The test stand has a removable test rod that can be used to demonstrate and practise connection and disconnection of the Ponto sound processors.



226485
Ponto 5 SuperPower sample
(Diamond Black)
226486
Ponto 5 Mini sample
(Diamond Black)
201341
Ponto 4 sample (Terracotta)

The Ponto sound processor samples with coupling can be used to demonstrate and practise connection and disconnection of the sound processors.



179435
Keyring, Ponto
Softband colours

The keyring with Oticon Medical logo features all 14 colours of the Ponto Softbands. Designed to facilitate demonstration of the different colour options available.



176986
Display stand
Ponto Softband

The Display stand with Oticon Medical logo features all 14 colours of the Ponto Softband. Designed to facilitate demonstration of the different colour options available. It also includes a hook that can be used for displaying a complete band.



200837
Ponto colour
sample kit

The kit contains six colour samples (look-a-likes) of Ponto Mini. Designed to facilitate demonstration of the different colour options available.



228236
Color selector, BAHS

The Color selector has colour chips that show the colour range of the Ponto sound processors.

Test



M50308
Head band

The head band can be used during pre-operative patient evaluation and also by patients who are unsuitable for implantation but who can benefit from using the Ponto sound processors as a traditional bone conductor.



M50104
Test band

The test band is used for short-term pre-operative patient evaluation and testing of the Ponto sound processors.



M50302
Test rod

The test rod is used for listening, testing and demonstrating the sound processor without connecting it to an abutment. Simply connect the sound processor to the test rod and press it against the head.

Fitting & Verification

Software



Genie Medical BAHS 2022.1

USB: **235639**

DVD: **235649**

Ponto 4, Ponto 5 Mini and Ponto 5 SuperPower can be programmed using Genie Medical BAHS 2022.1 fitting software. The software can be used alone or with NOAH.

Software is distributed on USB and DVD.

Wireless programming devices such as Noahlink wireless and FittingLink 3.0 can be used for wireless programming.



M50504

Genie Medical fitting software

Ponto 3, Ponto 3 Power, Ponto 3 SuperPower and Oticon Medical Streamer can be programmed using the Genie Medical 2016.1 fitting software. The software can be used alone or with NOAH.

An Oticon #3, HI-PRO #3 or NOAHlink #2 programming cable is used to programme all sound processors. Please see Genie Medical or contact your local sales representative for more information about how to order the programming cable.

Skull simulator



Skull simulator (SKS10)

Interacoustics have developed a special skull simulator coupler for the Affinity. It offers clinicians the ability to perform technical measurements on the sound processor.*

*Please contact your local sales representative for more information.

Because sound matters

Oticon Medical is a global company in implantable hearing solutions, dedicated to bringing the power of sound to people at every stage of life. As part of the Demant Group, a global leader in hearing healthcare with more than 16,500 people in over 30 countries and users benefitting from our products and solutions in more than 130 countries, we have access to one of the world's strongest research and development teams, the latest technological advances and insights into hearing care.

Our competencies span more than a century of innovations in sound processing and decades of pioneering experience in hearing implant technology. We work collaboratively with patients, physicians and hearing care professionals to ensure that every solution we create is designed with users' needs in mind. We have a strong passion to provide innovative solutions and support that enhance quality of life and help people live full lives – now and in the future. Because we know how much sound matters.



 **Oticon Medical AB**
Datavägen 37B
SE-436 32 Askim
Sweden
Tel: +46 31 748 61 00